




Description

Swing turnstiles are very popular as they are relatively attractive in terms of price. You will find that they are widely applied to factories, communities, supermarkets and so on.

The cabinet of ZOJE-B607 arc angle swing gate turnstile is made of 304 stainless steel, enabling a long lifespan. 316 stainless steel can be selected as optional choice if you want to build a much stronger housing. The passage way can be configured as single or bidirectional accordingly.

Passage width can also be customized when wider lane for people with wheelchairs are needed.

We can make swing doors of hollowed stainless steel, acrylic or tempered glasses.

ZOJE-B607 arc angle swing gate turnstile is perfectly compatible with several different kinds of access control systems and modules, such as IC card, ID card, RFID card, fingerprint recognition, face recognition, QR code, etc..

Applications

Office and administrative buildings
Ministries and government buildings
Banks and financial institutions
Airports
Metro stations
Coach terminals
Tourist destinations
Industrial buildings
Schools and universities



Features

Triple anti-pinch:Physical,IR,Mechanical

Intrusion alarm

Tailgating alarm/close(optional)

Anti-collision

Anti-reverse

Wrong way direction detection

Normally open/close mode

Automatic gate opening in emergency

Fail-Safe via battery back-up opening

Self-designed anti-collision structure, Stable and long-time operation

Datasheet

Turnstile Type:	Swing turnstile
Dimension:	1200*280*1000mm(L*W*H)
Material:	Stainless Steel 304
Chaneel Width:	600mm
Door Material:	Hollowed stainless steel
Driven Type:	DC 24V,Brushless Motor
Unlock time:	0.2S
Direction:	Single/Bidirection
Power Supply:	AC 110-230V,50/60Hz
Operation Volt:	DC24V,3A
Working Environment:	Indoor and outdoor
Working Temp:	-30℃ to +80℃
Relative Humidity:	Less Than 95%, No Condensation
Pass Speed:	35 person/min
LED Indicator:	yes
Emergency:	Auto open
Water Proof:	IP 67
Access control:	Can be integrated with any kind of access control
MTBF:	10million

Optinal

Dimension: can be customized according project site needs

Cabnite material: Stainless steel 304/Stainless steel 316, and thickness also optional



Passage width: 600m-900mm /Customized


Door material: Acylic/Tempered Glass

Driven type: DC brushless motor/DC servo motor

Tips

All ZOJE turnstile gates are built with self-designed mechanical structure for stable and long-time operation





Warranty

The warranty period is Two years commencing from the date of leave factory, unless otherwise determined in the delivery contract of the Product.